



SIDDHARTH GROUP OF INSTITUTIONS :: PUTTUR

Siddharth Nagar, Narayanavanam Road – 517583

QUESTION BANK (DESCRIPTIVE)

Subject with Code :EMTL(18EC412)

Course & Branch: B.Tech – ECE


Year & Sem: III-B.Tech & I-Sem

Regulation: R18

**UNIT –I
ELECTROSTATIC FIELDS**

1	a	Define coulomb's law.	[L1][CO1]	[2M]
	b	Define electric field intensity.	[L1][CO1&2]	[2M]
	c	Define Gauss's law.	[L1][CO1]	[2M]
	d	List various charge distributions.	[L1][CO1]	[2M]
	e	List Maxwell's equations for electrostatic fields.	[L1][CO1&2]	[2M]
2	a	Define Coulomb's law and derive the force F that exists between two unlike charges.	[L1][CO1&2]	[5M]
	b	Three Point Charges $Q_1=1 \text{ mc}$, $Q_2=2 \text{ mc}$ and $Q_3=-3 \text{ mc}$ are respectively located at (0,0,4), (-2,6,1) and (3,-4,-8). Calculate the electric force and electric field on Q_1 due to Q_2 and Q_3 .	[L3][CO1&2]	[5M]
3	a	Find the electric field at a point P located with a distance of r from an infinite sheet with uniform surface charge density of $\rho_s \text{ C/m}^2$.	[L1][CO1&2]	[6M]
	b	A Point Charge of $20\eta\text{c}$ is Located at the Origin. Determine the Magnitude and Direction of the electric field intensity at the Point (1,3,-4).	[L3][CO1&2]	[4M]
4	a	Define Gauss's Law. Apply Gauss's law to evaluate Electric Flux density for a uniformly charged Sphere.	[L1][CO1,2&3]	[7M]
	b	What are the advantages and applications of Gauss law?	[L1][CO1&2]	[3M]
5	a	Apply Gauss Law to evaluate the electric flux density at a point P due to the point charge located at the origin.	[L3][CO1,2&3]	[5M]
	b	A Point Charge 100 pC is located at (4,1,-3) while the x-axis carries charge $2\eta\text{C/m}$. If the Plane $z=3$ is also carries charge $5\eta\text{C/m}^2$ find E at (1,1,1).	[L3][CO1&2]	[5M]
6	a	Evaluate the two Maxwell's equations for electrostatic fields and state them.	[L5][CO1,2&3]	[8M]
	b	List Maxwell equations for electrostatic fields in integral form.	[L1][CO1,2&3]	[2M]
7	a	Classify Maxwell equations for electrostatic fields in both differential and integral form.	[L4][CO1,2&3]	[5M]
	b	Two point charges, $Q_A = +8 \mu\text{C}$ and $Q_B = -5 \mu\text{C}$, are separated by a distance $r = 10 \text{ cm}$. What is the magnitude of the electric force between them?	[L3][CO1&2]	[5M]
8	a	Define the Electric Flux Density. Determine the Electric flux density at a point P due to infinite line of uniform Charge density $\rho_L \text{ C/m}$.	[L1][CO1&2]	[7M]
	b	Point Charges $Q_1=4\mu\text{c}$, $Q_2=-5\mu\text{c}$ and $Q_3=2 \mu\text{c}$ are located at (0,0,1), (-6,8,0) and (0,4,-3) respectively find D at the origin.	[L3][CO1&2]	[3M]
9	a	Define Eclectic Potential. Find the electric potential for a point charge is located at origin.	[L1][CO1&2]	[7M]
	b	Determine the Relationship between E and V.	[L5][CO1&2]	[3M]
10		Explain the following with expression. a) Coloumb's law. b) Electric field intensity. c) Gauss law.	[L2][CO1,2&3]	[10M]
11	a	Deduce the electric field at a distance r due to an infinitely long straight line of charge with a uniform charge density of $\rho_L \text{ C/m}$.	[L4] [CO1&2]	[7M]
	b	A charge of $5 \times 10^{-8} \text{ C}$ is distributed uniformly on the surface of a sphere of radius 1 cm. It is sphere of radius 6 cm. Calculate the electric flux.	[L3] [CO1&2]	[3M]

UNIT –II
MAGNETOSTATIC FIELDS

1	a	Define Biot-Savart's law.	[L1][CO1&2]	[2M]
	b	Define magnetic flux density.	[L1][CO1&2]	[2M]
	c	Define Ampere's Circuit law.	[L1][CO1,2&3]	[2M]
	d	Define Magnetic Flux.	[L1][CO2]	[2M]
	e	What is meant by Magnetostatic fields?	[L1][CO2]	[2M]
2	a	Explain Biot-Savart's Law.	[L2][CO1&2]	[5M]
	b	A Positive Y-axis (Semi Infinite Line with respect to the Origin) Carries a Filamentary Current of 2 A in the -ay Direction. Assume it is part of a large circuit. Find H at (i) A(2,3,0). (ii) B(3,12,-4).	[L3][CO1&2]	[5M]
3	a	Explain Ampere's Circuit Law.	[L2][CO1,2&3]	[5M]
	b	Determine the Magnetic Field Intensity due to a infinite sheet current.	[L5][CO1&2]	[5M]
4	a	Determine Maxwell's Equations for Magnetostatic Field.	[L5][CO1,2&3]	[5M]
	b	Determine the Magnetic Flux Density due to Infinite Sheet of Current.	[L5][CO1&2]	[5M]
5	a	Discuss about Magnetic Vector and Scalar Potentials.	[L6][CO1&2]	[5M]
	b	Given Magnetic Vector potential $A = -\rho/4 a_z$ wb/m, Calculate the total magnetic flux crossing the $\Phi = \pi/2, 1 \leq \rho \leq 2m, 0 \leq z \leq 5m$.	[L3][CO1&2]	[5M]
6	a	Explain about magnetic scalar and vector potential for Magneto-statics.	[L2][CO1&2]	[5M]
	b	An infinitely filamentary wire carries a current of 2A in the +z direction. Calculate B at (-3,4,7).	[L3][CO1&2]	[5M]
7	a	Determine the Magnetic Field Density due to Infinite line Current by applying Ampere's Circuit law.	[L5][CO1&2]	[6M]
	b	List differential and integral form of Maxwell's equation for static EM filed.	[L1][CO2&3]	[4M]
8	a	Find the Magnetic field Intensity Due to a Straight current carrying filamentary conductor of finite length.	[L1][CO1&2]	[5M]
	b	Find H at (-3,4,0) due to the Current Filament Shown in the Figure. 	[L1][CO1,2&3]	[5M]
9		Find H for a straight current carrying conductor using Biot Savart's law and Ampere's Circuit law.	[L1][CO1&2]	[10M]
10		Explain any two applications of Ampere's Circuit law.	[L2][CO1,2&3]	[10M]
11	a	A Current Distribution gives rise to the vector potential $A = X^2 Y a_x + Y^2 X a_y + XY Z a_z$ web/m. Calculate B.	[L3] [CO1&2]	[5M]
	b	Explain about Non-Existence of Magnetic Mono pole.	[L2] [CO2]	[5M]

UNIT –III
MAXWELL'S EQUATIONS (TIME VARYING FIELDS)

1	a	Define Faraday's law.	[L1][CO2&3]	[2M]
	b	Define In consistency of Ampere's law.	[L1][CO2&3]	[2M]
	c	Define Motional EMF.	[L1][CO2&3]	[2M]
	d	Define Transformer EMF.	[L1][CO2&3]	[2M]
	e	Define Displacement current.	[L1][CO2&3]	[2M]
2	a	Explain Faraday's laws in Electromagnetic induction.	[L2][CO1&2]	[6M]
	b	Prove that the Displacement Current Density $J_D = \frac{\partial D}{\partial t}$.	[L5][CO1,2&3]	[4M]
3	a	Determine the Transformer EMF for the time varying fields.	[L5][CO1,2&3]	[7M]
	b	Define Faraday's law?	[L1][CO1,2&3]	[3M]
4	a	Explain Faraday's law of electromagnetic induction and derive the Expression for Induced EMF.	[L2][CO1,2&3]	[5M]
	b	Explain the motional EMF and derive the expression for the maxwell equation.	[L2][CO1,2&3]	[5M]
5	a	Determine the Expressions for inconsistency of Ampere's law.	[L5][CO1,2&3]	[8M]
	b	Why ampere's Law is In-consistent.	[L1][CO2&3]	[2M]
6	a	Discuss Maxwell's equation in both differential and integral in final form	[L6][CO1,2&3]	[6M]
	b	An antenna radiates in free space and $H = 50 \cos(1000t - 5y)ax$ A/m. Calculate ω and β .	[L3][CO2&3]	[4M]
7	a	In free space, $E = 20 \cos(\omega t - 50x)ay$ V/m. Calculate J_d , H .	[L3][CO2&3]	[6M]
	b	Translate the Maxwell's equations into word statement.	[L2][CO1,2&3]	[4M]
8	a	Prove that one of the Maxwell's equation is $\nabla \times E = -dB/dt$	[L5][CO1,2&3]	[6M]
	b	In free space, $H = 10 \sin(\omega t - 100x)ay$ A/m. Calculate J_d , E .	[L3][CO2&3]	[4M]
9	a	Prove that one of the Maxwell's equation is $\nabla \times H = J_d + J$.	[L5][CO1,2&3]	[7M]
	b	An antenna radiates in free space and $E = 80 \cos(500t - 8z)ax$ V/m. Calculate ω and β .	[L3][CO2&3]	[3M]
10	Explain and determine the EMF for the Followings. i) Motional EMF. (ii)Transformer EMF.		[L2][CO2&3]	[10M]
11	Explain the following i) Faraday's law ii) Inconsistency of Ampere's law		[L2] [CO2&3]	[10M]

UNIT –IV
EM WAVE PROPAGATION

1	a	Define Poynting theorem.	[L1][CO3&4]	[2M]
	b	Define polarization.	[L1][CO3&4]	[2M]
	c	Define Poynting vector.	[L1][CO3&4]	[2M]
	d	Define propagation constant.	[L1][CO3&4]	[2M]
	e	List wave equation for E and H in free space ?	[L1][CO3&4]	[2M]
2		Discuss about pointing theorem and poynting vector.	[L6][CO4&5]	[10M]
3	a	Explain and derive the characteristics of wave propagation in free space.	[L2][CO3,4&5]	[6M]
	b	Given that $E=40 \cos(10^8 t - 3x) \hat{a}_y$ v/m, Determine the direction of wave propagation, velocity of the wave, wave length.	[L3][CO4&5]	[4M]
4		Electric field in free space is given by $E=50 \cos(10^8 t + \beta x) \hat{a}_y$ v/m a). Find the direction of wave propagation. b). Calculate β and the time it takes to travel a distance of λ . c). Sketch the wave at $t=0, T/4$ and $T/2$.	[L3][CO4&5]	[10M]
5	a	Determine the expression for intrinsic impedance and propagation constant in a good conductor.	[L5][CO4&5]	[6M]
	b	In a Nonmagnetic medium $E=4 \sin(2\pi \times 10^7 t - 0.8x) \hat{a}_z$ v/m, find ϵ_r, η .	[L3][CO4&5]	[4M]
6	a	Evaluate the wave characteristics of a uniform plane wave in free space.	[L5][CO4&5]	[6M]
	b	In free space ($z \leq 0$), a plane wave with $H = 10 \cos(10^8 t - \beta z) \hat{a}_x$ mA/m is incident normally on a lossless medium ($\epsilon=2\epsilon_0, \mu=8\mu_0$) in region $z > 0$. Determine the reflected wave and the transmitted wave.	[L3][CO4&5]	[4M]
7	a	Evaluate the wave equation in lossy dielectric medium for sinusoidal time variations.	[L5][CO3,4&5]	[5M]
	b	In lossless medium $\eta = 40\pi, \mu_r = 1$, $H=2 \cos(\omega t - z) \hat{a}_x + 5 \sin(\omega t - z) \hat{a}_y$. Find ϵ_r, ω, E for the medium.	[L3][CO4&5]	[5M]
8	a	Evaluate the expressions for attenuation constant and phase shift constant of lossy dielectric medium.	[L5][CO4&5]	[5M]
	b	A plane wave propagating through medium with $\epsilon_r = 8, \mu_r = 2$ has the electric field intensity $E = 0.5 e^{-jz^3} \sin(10^8 t - \beta z) \hat{a}_x$ V/m. Determine wave velocity, wave impedance and magnetic field intensity.	[L3][CO4&5]	[5M]
9		Evaluate the expressions for reflection coefficient and transmission coefficient by a normal incident wave for a dielectric medium.	[L5][CO4&5]	[10M]
10		Explain the followings with an expression. i) Linear polarization ii) Circular polarization iii) Elliptical polarization	[L2][CO4&5]	[10M]
11		In a medium, $E = 14 e^{-0.05x} \sin(2 \times 10^8 t - 2x) \hat{a}_z$ V/m Determine the followings: i) The propagation constant ii) The wavelength iii) The speed of the wave iv) Sketch the wave at $t=0, T/4$ & $T/2$	[L3][CO4&5]	[10M]

UNIT –V
TRANSMISSION LINES

1	a	What are the secondary constants of a line?	[L1][CO6]	[2M]
	b	What is characteristic impedance?	[L1][CO6]	[2M]
	c	Define transmission line.	[L1][CO6]	[2M]
	d	What is the relationship between characteristic impedance and propagation constant?	[L1][CO6]	[2M]
	e	What are the primary constants of a transmissionline?	[L1][CO6]	[2M]
2	a	Evaluate the equation for voltage and current at any point in a transmission line.	[L5][CO6]	[6M]
	b	Discuss about Transmission line Parameters.	[L6][CO6]	[4M]
3	a	Evaluate the equation for Characteristic Impedance of a Transmission line.	[L5][CO6]	[5M]
	b	A telephone line has the following parameters: $R = 30 \Omega/\text{km}$, $G = 0$ $L = 100\text{mH}/\text{km}$, $C = 20\mu\text{F}/\text{m}$. At 1kHz, calculate the characteristic impedance, propagation constant and velocity of the signal.	[L3][CO6]	[5M]
4	a	Explain about Microstrip Transmission Line.	[L2][CO6]	[5M]
	b	A distortion less line has $Z_0=60 \Omega$ Attenuation constant = 20 mNp/m and $u=0.6c$ (c is velocity of light) Find the primary parameters of the transmission line($R L C G$ and λ) at 100MHz.	[L3][CO6]	[5M]
5	a	Evaluate the equation for Input Impedance of the transmission line.	[L5][CO6]	[5M]
	b	A Certain transmission line 2m long operating at $\omega = 10^6$ rad/s has $\alpha=8\text{bd}/\text{m}$, $\beta=1$ rad/m, and $Z_0=60+j40\Omega$. If the line is connected to a source of $10\angle(0^\circ)$ V, $Z_g = 40\Omega$ and terminated by a load of $20+j50\Omega$, determine the input impedance.	[L3][CO6]	[5M]
6	a	Relate SWR and reflection coefficient.	[L2][CO6]	[5M]
	b	Explain the applications of transmission lines.	[L2] [CO6]	[5M]
7	a	Discuss about Transients on Transmission Lines.	[L6][CO6]	[5M]
	b	A low loss transmission line of 100Ω characteristics impedance is connected to a load of 200Ω . Calculate the voltage reflection coefficient and the standing wave ratio.	[L3][CO6]	[5M]
8		A 50Ω lossless transmission line is terminated on a load impedance of $Z_L = (25 + j 50)\Omega$. Use the smith chart to find. i) Voltage reflection coefficient. ii) VSWR. iii) input impedance of the line, given that the line is 3.3λ long.	[L3][CO6]	[10M]
9	a	Explain about the smith chart for finding the SWR and Reflection coefficient.	[L2][CO6]	[7M]
	b	List out the applications of smith chart?	[L1][CO6]	[3M]
10		A 30 m long lossless transmission line with $Z_0 = 50\Omega$ operating at 2 MHz is terminated with a load $Z_L = 60 + j 40\Omega$. If $u = 0.6 C$ on the line, find the reflection coefficient, the standing wave ratio S and the input impedance.	[L3][CO6]	[10M]
11		A lossless transmission line with $Z_0=50 \Omega$ is 30m long and operates at 3MHz. The line is terminated with a load $Z_L= 70 +j50\Omega$, If $u=0.6c$ on the line. Compute reflection coefficient, standing wave ratio and Input impedance, load impedance, SWR and complex reflection coefficient (i) without using smith chart (ii) Using smith chart	[L3][CO6]	[10M]

Prepared by:

1. Mr. J.RAJANIKANTH
Associate Professor/ECE

2. Mr. K.D MOHANA SUNDHARAM
Assistant Professor/ECE