Course Code: 20ME0301

SIDDHARTH INSTITUTE OF ENGINEERING & TECHNOLOGY :: PUTTUR



(AUTONOMOUS) Siddharth Nagar, Narayavanam Road, PUTTUR-517 583

QUESTION BANK

Subject with Code: Engineering Graphics (20ME0301) Course & Branch: B. Tech – EEE

Year/ Sem: I-B.Tech & I-Sem Regulation: R20

UNIT – I

1		Construct an ellipse, with distance of the focus from the	L6	CO1	12M
		directrix as 50 mm and eccentricity as 2/3. Also draw normal			
		and tangent to the curve at a point 40 mm from the directrix			
2		The vertex of a hyperbola is 60 mm from its focus. Draw the	L6	CO1	12M
		curve, if the eccentricity is 3/2. Draw a normal and a tangent at			
		a point on the curve, 75 mm from the directrix.			
3		Construct an ellipse when the distance between the focus and	L6	CO1	12M
		directrix is 35 mm and eccentricity is 3/4. Also draw the			
		tangent and normal to any point on the curve			
4	a	Construct an ellipse having major axis is equal to 100 mm and	L6	CO1	6M
		the minor axis is equal to 70 mm. Use the concentric circle			
		method			
	b	Draw a parabola having a distance of 50 mm between the focus	L6	CO1	6M
		and directrix and identify normal and tangent to the parabola at			
		a point 35 mm from the focus			
5	a	Construct an ellipse in a parallelogram having sides 120 mm	L6	CO1	6M
		and 80 mm long by using Rectangle method			
	b	Inscribe an ellipse in a parallelogram having sides 150 mm and	L6	CO1	6M
		100 mm long and an included angle of 120°.			
6		Draw an ellipse(half ellipse by concentric circle method and	L6	CO1	12M
		half by rectangle method) having major axis is equal to 100			
		mm and the minor axis is equal to 70 mm.			
7	a	Construct a parabola with base 120 and length of the axis 60 by	L6	CO1	6M
		using Rectangle method.			
	b	Construct a parabola in a parallelogram of sides 100 x 60 with	L6	CO1	6M
		an included angle of 75 ⁰			
8		A point P is 30 mm and 50 mm respectively from two straight	L6	CO1	12M
		lines which are inclined at 75° to each other. Draw the			
		rectangular hyperbola from p within 10 mm distance from each line.			
9		Draw an Epi-cycloid of rolling circle of diameter 40 mm which	L6	CO1	12M
		rolls outside another circle (base circle) of 150 mm diameter for	-		1-1,1
		one revolution and construct a tangent and normal at any point			
		on the curve.			
<u> </u>					

Course Code: 20ME0301

10		Construct a hypo cycloid of a circle of 50 mm diameter, which	L6	CO1	12M
		rolls inside another circle of 180 mm diameter for one			
		revolution counter clockwise			
11	a	Develop the involute of a regular hexagon of side 20 mm. Draw	L3	CO1	6M
		a tangent and normal to the curve at a distance of 100 mm from			
		the centre of the hexagon.			
	b	i)Draw the involute of a square of side 25 mm	L3	CO1	6M
		ii)Draw the involute of an equilateral triangular of side 20 mm.			
12	a.	Draw the involute of a regular pentagon of side 20 mm	L3	CO1	5M
	b.	Develop the involute of a circle of side diameter 50 mm. Draw	L3	CO1	7M
		a tangent and normal to the curve at a distance of 100 mm from			
		the centre of the circle			

<u>UNIT – II</u>

1.		Draw the projections of the following points, keeping the	L1	CO2	12M
		distance between the projectors as 25mm on the same reference			
		lines.			
		A – 20mm above HP and 30mm in front of VP			
		B – 20mm above HP and 30mm behind VP			
		C – 20mm below HP and 30mm behind VP			
		D – 20mm below HP and 30mm in front of VP			
		E – On HP and 30mm in front of VP			
		F – On VP and 20mm above HP			
		G – Lying on both HP and VP			
2	a.	State the quadrants in which the following points are located	L1	CO2	6M
		A – Front view below xy and top view above xy			
		B – Front and top views are above xy			
		C – Front view above xy and top view below xy			
		D – Front and top views are below xy			
	b	Identify the relative positions of the projections of the following	L2	CO2	6M
		points with respect to xy			
		A – In the second quadrant			
		B – In the third quadrant			
		C – In the first quadrant			
		D – In the fourth quadrant			
3.		A point A is 20mm above the HP and 50mm in front of the VP.	L1	CO2	12M
		Another point B is 40mm below the HP and 15mm behind the			
		VP. The distance between the projectors of the points, measured			
		parallel to xy, is 75mm. Draw the projections of the points.			
		Draw lines joining their FVs and TVs			
4		A point E is 20 mm below HP and 30mm behind VP. Another	L3	CO2	12M
		point F is infront of VP and above the HP. The distance between			

	the projectors of the points is 60mm .Determine the point F and			
	Point E if the length of line joining their top views and front			
	views are 80 & 90.			
5	Draw the projections of a straight line AB of 70 mm long, in the	L1	CO2	12M
	following positions:			
	a) parallel to both HP and VP and 20 mm from each.			
	b) Parallel to and 20 mm above the HP and on VP			
	c) Parallel to and 30 mm in front of VP and on HP			
	d)Perpendicular to HP, 30 mm in front of VP & one end 25 mm			
	above HP			
	e) Perpendicular to HP, 30 mm in front of VP & one end on HP			
6	Draw the projections of a straight line AB of 70 mm long, in the	L1	CO2	12M
	following positions:			
	a)Inclined at 30 ⁰ to VP, in HP and one end on VP			
	b) Inclined at 45 ⁰ to HP, one end 20 mm above HP and parallel			
	to and 30 mm in front of VP			
	c) Inclined at 60 ⁰ to VP, one end 20 mm in front of VP and			
	parallel to and 25 mm above HP			
7	A line AB of 100mm length is inclined at an angle of 30° to HP	L1	CO2	12M
	and 45° to VP. The point A is 15mm above HP and 20mm in			
	front of VP. Draw the projections of the line			
8	A line NS 80mm long has its end N 10mm above HP and 15mm	L3	CO2	12M
	In front of VP. The other end S is 65mm above HP and 50mm			
	in front of VP. Draw the projections of the line and Find its true			
	inclinations with HP & VP.			
9	A line AB 50mm long, has its end A away from the HP and VP	L1	CO2	12M
	than end B. The line is inclined to the HP at 30 ⁰ and to the VP at			
	45 °. Draw the projections if end A is 35mm above the HP and			
	50mm in front of the VP.			
10.	End A of a line AB is 15mm above HP & 20mm infront of VP.	L3	CO2	12M
	While end B is 50mm above HP & 60mm infront of VP. The			
	distances between End projectors of the line is 50mm.Draw the			
	projections of line. Find its True length and True inclinations			
	with VP and HP.			
11	A Line EF 85mm long has its end E is 25mm above HP and	L3	CO2	12M
	20mm infront of VP. The top and front views of the line have			
	lengths of 55mm and 70mm respectively. Draw the projections			
	of the line and its traces. Find its true inclinations with VP &			
	HP.			
12	End P of a line PQ 70mm long is 15mm above HP and 20mm	L3	CO2	12M
	infront of VP. Q is 40mm above HP. The top view of the line is			
	inclined at 45 ⁰ to VP. Draw the projections of the line and traces			

R20

Course Code: 20ME0301

	& find its true inclinations with VP and HP.		

<u>UNIT - III</u>

1.	A square plane ABCD of side 30mm is parallel to HP and	L6	CO3	12M
	20mm away from it. Draw the projections of the plane, when (i)			
	two of its sides are parallel to VP and (ii) and one of its side is			
	inclined at 30^0 to VP.			
2.	An equilateral triangular plane ABC of side 40mm has its plane	L6	CO3	12M
	parallel to VP and 20mm away from it. Draw the projections of			
	the plane when one of its sides is (i) perpendicular to HP (ii)			
	parallel to HP and (iii) inclined to HP at an angle of 45 ⁰ .			
3.	A regular hexagonal plane of 30 mm side has a corner on HP,	L6	CO3	12M
	and its surface is inclined at 45° to HP. Draw the projections,			
	when the diagonal through the corner, which is on HP makes			
	30^{0} with VP			
4.	A thin $30^{\circ} - 60^{\circ}$ set-square has its longest edge (diagonal) on	L6	CO3	12M
	HP and inclined at 30° to VP. Its surface makes an angle of 45°			
	with HP. Draw the projections, choosing suitable size for the			
	set-square.			
5.	A semi circular plane of diameter 70mm has its straight edge on	L6	CO3	12M
	the VP and inclined at 30 degree to the HP .Draw the projection			
	of the plane when its surface is inclined at 45 ⁰ to VP			
6.	A cone of diameter 50 mm and axis 60 mm has its generator in	L6	CO3	12M
	the VP and the axis is parallel to the HP.Draw its projections.			
7.	A pentagonal prism of base side 30mm and axis 60mm has one	L6	CO3	12M
	of its rectangular faces on the HP and the axis inclined at 60 ° to			
	the VP. Draw its projections.			
8.	A cylinder of base diameter 50mm and axis 70 mm has a	L6	CO3	12M
	generator in the VP and inclined at 45° to the HP. Draw its			
	projections			
9.	A pentagonal prism of base side 30 mm and axis 60mm is	L6	CO3	12M
	resting on one of its rectangular faces on HP, with the axis			
	parallel to VP.Draw its projections.			
10.	A pentagonal pyramid of base edge 30mm and axis 60mm rests	L6	CO3	12M
	on an edge of its base in the HP. Its axis is parallel to VP and			
	inclined at 45° to the HP. Draw its projections			

<u>UNIT – IV</u>


R20


Course Code: 20ME0301

1. A cube of side 40 mm is resting on HP on one of its faces, with a vertical face inclined at 30° to VP. It is cut by a section plane inclined at 45° to HP and passing through the axis at 8 mm from the top surface. Draw the projections of the solid and also show the true shape of the section. 2. A pentagonal pyramid with edge of base 25 mm and axis 65 mm long, its base is resting on HP. It is cut by a section plane, inclined at 60° to HP and perpendicular to VP it bisects the axis. Draw the projections and obtain the true shape of the section. 3. A hexagonal prism of side of base 30 mm and length of axis 75 mm is resting on its base on HP. It is cut by a section plane inclined at 45° to HP and passing through the content of the section. 4. A square pyramid of base 40 mm and axis 60 mm long, Its base lies on VP with its axis parallel to HP. A cut sectional plane, 60° to VP and it pass 10mm away from the axis. Draw the projections sectional front view. 5. A cone of 50 mm diameter and axis 70 mm long, Its base is on HP. It is cut by a sectional plane perpendicular to VP and inclined to HP at 45° from apex 32mm. Draw the projections of FV,S.TV. True shape. 6. A square prism of side of base 40 mm and axis 80 mm long, is resting on its base on HP such that, a rectangular face of it is parallel to VP. Draw the development of the prism. 7. A cylinder of diameter of base 40 mm and axis 50 mm long, is resting on its base on HP. It is cut by a section plane, perpendicular to VP and inclined at 45° to HP. The section plane is passing through the tope and of an extreme generator of the cylinder. Draw the development of the lateral surface of the cut cylinder. 8. A cone of base 50 mm diameter and height 65 mm rests with its base on HP. A section plane perpendicular to VP and inclined at 30° to HP bisects the axis of the cone. Draw the development of the cylinder. 8. A pentagonal pyramid, side of base 30 mm and height 52 mm, stands with its base on HP and an edge of the base is parallel to VP. It is cut by a plane pe					
mm long, its base is resting on HP. It is cut by a section plane, inclined at 60° to HP and perpendicular to VP it bissects the axis. Draw the projections and obtain the true shape of the section. A hexagonal prism of side of base 30 mm and length of axis 75 mm is resting on its base on HP. It is cut by a section plane inclined at 45° to HP and passing through top corner. Draw the front and sectional top views of the solid and true shape of the section. 4. A square pyramid of base 40 mm and axis 60 mm long, Its base lies on VP with its axis parallel to HP. A cut sectional plane, 60° to VP and it pass 10mm away from the axis. Draw the projections sectional front view. 5. A cone of 50 mm diameter and axis 70 mm long. Its base is on HP. It is cut by a sectional plane perpendicular to VP and inclined to HP at 45° from apex 32mm. Draw the projections of FV.S.TV, True shape. 6. A square prism of side of base 40 mm and axis 80 mm long, is resting on its base on HP such that, a rectangular face of it is parallel to VP. Draw the development of the prism. 7. A cylinder of diameter of base 40 mm and axis 55 mm long, is resting on its base on HP. It is cut by a section plane, perpendicular to VP and inclined at 45° to HP. The section plane is passing through the top end of an extreme generator of the cylinder. Draw the development of the lateral surface of the cut cylinder. 8. A cone of base 50 mm diameter and height 65 mm rests with its base on HP. A section plane perpendicular to VP and inclined at 30° to HP bisects the axis of the cone. Draw the development of the lateral surface of the cut cylinder. 9. A pentagonal pyramid, side of base 30 mm and height 52 mm, stands with its base on HP and an edge of the base is parallel to VP. It is cut by a plane perpendicular to VP, inclined at 40° to HP and passing through a point on the axis, 32 mm above the base. Draw the development of the lateral surface of the truncated pyramid. 10. A square pyramid, with side of base 30 mm and axis 50 mm long, is resting on its base		a vertical face inclined at 30° to VP. It is cut by a section plane inclined at 45° to HP and passing through the axis at 8 mm from the top surface. Draw the projections of the solid and also show the true shape of the section.			
mm is resting on its base on HP. It is cut by a section plane inclined at 45° to HP and passing through top corner. Draw the front and sectional top views of the solid and true shape of the section. 4. A square pyramid of base 40 mm and axis 60 mm long, Its base lies on VP with its axis parallel to HP. A cut sectional plane, 60° to VP and it pass 10mm away from the axis. Draw the projections sectional front view. 5. A cone of 50 mm diameter and axis 70 mm long. Its base is on HP. It is cut by a sectional plane perpendicular to VP and inclined to HP at 45° from apex 32mm .Draw the projections of FV.S.TV, True shape. 6. A square prism of side of base 40 mm and axis 80 mm long, is resting on its base on HP such that, a rectangular face of it is parallel to VP. Draw the development of the prism. 7. A cylinder of diameter of base 40 mm and axis 55 mm long, is resting on its base on HP. It is cut by a section plane, perpendicular to VP and inclined at 45° to HP. The section plane is passing through the top end of an extreme generator of the cylinder. Draw the development of the lateral surface of the cut cylinder. 8. A cone of base 50 mm diameter and height 65 mm rests with its base on HP. A section plane perpendicular to VP and inclined at 30° to HP bisects the axis of the cone. Draw the development of the lateral surface of the truncated cone. 9. A pentagonal pyramid, side of base 30 mm and height 52 mm, stands with its base on HP and an edge of the base is parallel to VP. It is cut by a plane perpendicular to VP, inclined at 40° to HP and passing through a point on the axis, 32 mm above the base. Draw the development of the lateral surface of the truncated pyramid 10. A square pyramid, with side of base 30 mm and axis 50 mm long, is resting on its base on HP with an edge of the base parallel to VP. It is cut by a section plane, perpendicular to VP and inclined at 45° to HP. The section plane is passing through the mid-point of the axis. Draw the development of the surface of the cut pyramid.	2.	mm long, its base is resting on HP. It is cut by a section plane, inclined at 60 ⁰ to HP and perpendicular to VP it bisects the axis.	L6	CO4	12M
lies on VP with its axis parallel to HP. A cut sectional plane, 60° to VP and it pass 10mm away from the axis. Draw the projections sectional front view. 5. A cone of 50 mm diameter and axis 70 mm long. Its base is on HP.It is cut by a sectional plane perpendicular to VP and inclined to HP at 45° from apex 32mm .Draw the projections of FV,S.TV, True shape. 6. A square prism of side of base 40 mm and axis 80 mm long, is resting on its base on HP such that, a rectangular face of it is parallel to VP. Draw the development of the prism. 7. A cylinder of diameter of base 40 mm and axis 55 mm long, is resting on its base on HP. It is cut by a section plane, perpendicular to VP and inclined at 45° to HP. The section plane is passing through the top end of an extreme generator of the cylinder. Draw the development of the lateral surface of the cut cylinder. 8. A cone of base 50 mm diameter and height 65 mm rests with its base on HP. A section plane perpendicular to VP and inclined at 30° to HP bisects the axis of the cone. Draw the development of the lateral surface of the truncated cone. 9. A pentagonal pyramid, side of base 30 mm and height 52 mm, stands with its base on HP and an edge of the base is parallel to VP. It is cut by a plane perpendicular to VP, inclined at 40° to HP and passing through a point on the axis, 32 mm above the base. Draw the development of the lateral surface of the truncated pyramid 10. A square pyramid, with side of base 30 mm and axis 50 mm long, is resting on its base on HP with an edge of the base parallel to VP. It is cut by a section plane, perpendicular to VP and inclined at 45° to HP. The section plane, perpendicular to VP and inclined at 45° to HP. The section plane is passing through the mid-point of the axis. Draw the development of the surface of the cut pyramid.	3.	mm is resting on its base on HP. It is cut by a section plane inclined at 45° to HP and passing through top corner. Draw the front and sectional top views of the solid and true shape of the	L6	CO4	12M
HP.It is cut by a sectional plane perpendicular to VP and inclined to HP at 45° from apex 32mm .Draw the projections of FV,S.TV, True shape. 6. A square prism of side of base 40 mm and axis 80 mm long, is resting on its base on HP such that, a rectangular face of it is parallel to VP. Draw the development of the prism. 7. A cylinder of diameter of base 40 mm and axis 55 mm long, is resting on its base on HP. It is cut by a section plane, perpendicular to VP and inclined at 45° to HP. The section plane is passing through the top end of an extreme generator of the cylinder. Draw the development of the lateral surface of the cut cylinder. 8. A cone of base 50 mm diameter and height 65 mm rests with its base on HP. A section plane perpendicular to VP and inclined at 30° to HP bisects the axis of the cone. Draw the development of the lateral surface of the truncated cone. 9. A pentagonal pyramid, side of base 30 mm and height 52 mm, stands with its base on HP and an edge of the base is parallel to VP. It is cut by a plane perpendicular to VP, inclined at 40° to HP and passing through a point on the axis, 32 mm above the base. Draw the development of the lateral surface of the truncated pyramid 10. A square pyramid, with side of base 30 mm and axis 50 mm long, is resting on its base on HP with an edge of the base parallel to VP. It is cut by a section plane, perpendicular to VP and inclined at 45° to HP. The section plane is passing through the mid-point of the axis. Draw the development of the surface of the cut pyramid.	4.	lies on VP with its axis parallel to HP. A cut sectional plane, 60^{0} to VP and it pass 10mm away from the axis. Draw the	L6	CO4	12M
resting on its base on HP such that, a rectangular face of it is parallel to VP. Draw the development of the prism. 7. A cylinder of diameter of base 40 mm and axis 55 mm long, is resting on its base on HP. It is cut by a section plane, perpendicular to VP and inclined at 45° to HP. The section plane is passing through the top end of an extreme generator of the cylinder. Draw the development of the lateral surface of the cut cylinder. 8. A cone of base 50 mm diameter and height 65 mm rests with its base on HP. A section plane perpendicular to VP and inclined at 30° to HP bisects the axis of the cone. Draw the development of the lateral surface of the truncated cone. 9. A pentagonal pyramid, side of base 30 mm and height 52 mm, stands with its base on HP and an edge of the base is parallel to VP. It is cut by a plane perpendicular to VP, inclined at 40° to HP and passing through a point on the axis, 32 mm above the base. Draw the development of the lateral surface of the truncated pyramid 10. A square pyramid, with side of base 30 mm and axis 50 mm long, is resting on its base on HP with an edge of the base parallel to VP. It is cut by a section plane, perpendicular to VP and inclined at 45° to HP. The section plane is passing through the mid-point of the axis. Draw the development of the surface of the cut pyramid.	5.	HP.It is cut by a sectional plane perpendicular to VP and inclined to HP at 45 ⁰ from apex 32mm .Draw the projections of FV,S.TV, True shape.		CO4	12M
 A cylinder of diameter of base 40 mm and axis 55 mm long, is resting on its base on HP. It is cut by a section plane, perpendicular to VP and inclined at 45° to HP. The section plane is passing through the top end of an extreme generator of the cylinder. Draw the development of the lateral surface of the cut cylinder. A cone of base 50 mm diameter and height 65 mm rests with its base on HP. A section plane perpendicular to VP and inclined at 30° to HP bisects the axis of the cone. Draw the development of the lateral surface of the truncated cone. A pentagonal pyramid, side of base 30 mm and height 52 mm, stands with its base on HP and an edge of the base is parallel to VP. It is cut by a plane perpendicular to VP, inclined at 40° to HP and passing through a point on the axis, 32 mm above the base. Draw the development of the lateral surface of the truncated pyramid. A square pyramid, with side of base 30 mm and axis 50 mm long, is resting on its base on HP with an edge of the base parallel to VP. It is cut by a section plane, perpendicular to VP and inclined at 45° to HP. The section plane is passing through the mid-point of the axis. Draw the development of the surface of the cut pyramid. 	6.	resting on its base on HP such that, a rectangular face of it is parallel to VP. Draw the development of the prism.	L1	CO4	12M
 A cone of base 50 mm diameter and height 65 mm rests with its base on HP. A section plane perpendicular to VP and inclined at 30° to HP bisects the axis of the cone. Draw the development of the lateral surface of the truncated cone. A pentagonal pyramid, side of base 30 mm and height 52 mm, stands with its base on HP and an edge of the base is parallel to VP. It is cut by a plane perpendicular to VP, inclined at 40° to HP and passing through a point on the axis, 32 mm above the base. Draw the development of the lateral surface of the truncated pyramid A square pyramid, with side of base 30 mm and axis 50 mm long, is resting on its base on HP with an edge of the base parallel to VP. It is cut by a section plane, perpendicular to VP and inclined at 45° to HP. The section plane is passing through the mid-point of the axis. Draw the development of the surface of the cut pyramid. 	7.	A cylinder of diameter of base 40 mm and axis 55 mm long, is resting on its base on HP. It is cut by a section plane, perpendicular to VP and inclined at 45° to HP. The section plane is passing through the top end of an extreme generator of the cylinder. Draw the development of the lateral surface of the	L1	CO4	12M
9. A pentagonal pyramid, side of base 30 mm and height 52 mm, stands with its base on HP and an edge of the base is parallel to VP. It is cut by a plane perpendicular to VP, inclined at 40° to HP and passing through a point on the axis, 32 mm above the base. Draw the development of the lateral surface of the truncated pyramid 10. A square pyramid, with side of base 30 mm and axis 50 mm long, is resting on its base on HP with an edge of the base parallel to VP. It is cut by a section plane, perpendicular to VP and inclined at 45° to HP. The section plane is passing through the mid-point of the axis. Draw the development of the surface of the cut pyramid.	8.	A cone of base 50 mm diameter and height 65 mm rests with its base on HP. A section plane perpendicular to VP and inclined at 30° to HP bisects the axis of the cone. Draw the development of	L1	CO4	12M
long, is resting on its base on HP with an edge of the base parallel to VP. It is cut by a section plane, perpendicular to VP and inclined at 45° to HP. The section plane is passing through the mid-point of the axis. Draw the development of the surface of the cut pyramid.	9.	stands with its base on HP and an edge of the base is parallel to VP. It is cut by a plane perpendicular to VP, inclined at 40 ⁰ to HP and passing through a point on the axis, 32 mm above the base. Draw the development of the lateral surface of the		CO4	12M
TINIT V	10.	A square pyramid, with side of base 30 mm and axis 50 mm long, is resting on its base on HP with an edge of the base parallel to VP. It is cut by a section plane, perpendicular to VP and inclined at 45° to HP. The section plane is passing through the mid-point of the axis. Draw the development of the surface of the cut pyramid.	L1	CO4	12M

<u>UNIT – V</u>

1	Draw three views of the blocks shown pictorially in figure	L6	C06	12M
	according to first angle projection	Lo		1 4111
	35 25 25 25			
2.	Draw three views of the blocks shown pictorially in figure	L6	C06	12M
	according to first angle projection			
	No Part of the second s			
3.	Draw three views of the blocks shown pictorially in figure	L6	C06	12M
	according to first angle projection			





Prepared by : MECHANICAL DEPARTMENT (SIETK)